Hypothesis Testing

- Means, diff in Means, proportions, diff in proportions
- Setting up H0 and HA corresponding to the context
- Checking conditions
- How to calculate test-stats for each of these cases
- Understanding parts of the test-statistic
 - measuring difference between data and null value, measured by standard error
- P-values from R output
- P-value interpretations / definitions in context
- Answering research questions / conclusions using p-value
- Strength of Evidence Approach (conclusions)
- Decision Making approach
 - What do we do to see if p-values are significant (less than alpha?)
 - Type-I and Type-II error definitions and describing these in context
 - issues with this approach

Chi^2 Tests

- Goodness of Fit
 - Testing equality of proportions
 - How to calculate test-stat
 - df = k-1
 - Picking correct p-value from R output
 - answering conclusion in context
- Independence Test
 - Testing if 2 categorical variables are independent
 - same formula for test-stat
 - df = (k-1)(m-1)
 - Picking correct p-value from R output
 - answering conclusions in context

Old Stuff that continues to haunt us:

- Describing population/sample in context
- Describing parameters/statistics in context
- random samples => generalizations
- random assignment => cause and effect conclusions
- Experiments vs Observational studies
- Control

General descriptions of and realizing when to use methods we've covered

- data visualization
- Regression
- Probabilities / Odds
- Confidence Intervals
- Hypothesis Testing